

2021 MTB Components



COMPATIBILITY MAP

Driver Body and Cassette Compatibility

Cassette		Driver Body			
Gearing	Model	XD	XDR *	11 **	10/9/8
12s	10-52 Eagle XG 1299 XG 1295 XG 1275	■			
	10-50 Eagle XG 1299 XG 1295 XG 1275	■			
	11-50 Eagle PG 1230 PG 1210				■
11s	10-42 XG 1199 XG 1195 XG 1180 XG 1175 XG 1150	■			
	11-42 PG 1130				■

* All XD cassettes are compatible to an XDR driver body by using a 1.85 mm spacer

** All 10/9/8 speed cassettes can be installed on an 11 speed driver body by using a 1.85 mm spacer

For further information about SRAM XD and XDR driver bodies visit www.xddriverbody.com

Cassette		Driver Body			
Gearing	Model	XD	XDR *	11 **	10/9/8
10s	11-26 PG1030 PG1050 PG1070				■
	11-36 XG 1099 XG 1080 PG 1070 PG 1050 PG 1030 PG 1020				■
	11-32 XG 1099 PG 1070 PG 1050 PG 1030				■
	12-36 PG 1070 PG 1050				■
	12-32 PG 1070 PG 1050				■
	9s	11-34 PG 990 PG 980 PG 970 PG 950 PG 920			
11-32 XG 999 PG 990 PG 980 PG 970 PG 950					■
8s	11-48 XG 899				■
	11-32 PG 850 PG 830 PG 820				■
	11-30 PG 850 PG 830 PG 820				■
7s	10-24 XG 795	■			
	11-25 PG 720				■

1x12 Eagle AXS Compatibility

Chain		Crankset					
Model	Front	Model	Bottom Bracket Options				
			DUB PF30	DUB BB30	DUB PF89.5/92	DUB BSA	Power Spline
12s PC XX1 Eagle** PC X01 Eagle** PC GX Eagle** PC NX Eagle** PC SX Eagle**	1x12	XX1 Eagle	■	■	■	■	
		X01 Eagle	■	■	■	■	
		X1 Carbon Eagle	■	■	■	■	
		Descendant/Stylo Carbon Eagle	■	■	■	■	
		GX Eagle	■	■	■	■	
		Descendant/Stylo 7k Eagle	■	■	■	■	
		NX Eagle	■	■	■	■	
		Descendant/Stylo 6k Eagle	■	■	■	■	
		NX PS Eagle					■
		Stylo 6k PS Eagle					■
		SX Eagle / X1-1000 Eagle	■	■	■	■	
		SX PS Eagle					■

Cassette		Rear Derailleur		Shifter				
Gearing	Model	Model	Cage Length Options	Model	MMX	MM	IC	
			Long					
10 - 50 Eagle	XG-1299	1x12	XX1 Eagle AXS	1x12	XX1 Eagle AXS Controller	■	■	
	XG-1295		X01 Eagle AXS					
	XG-1275							
11 - 50 Eagle	PG 1230							
	PG 1210							
10 - 52 Eagle	XG-1299							
	XG-1295							
	XG-1275							

** Eagle chains are only compatible with SRAM Eagle 1x12 systems.

1x12 Eagle Compatibility

Chain		Crankset										
Model		Model	Bottom Bracket Options									
			DUB PF30	DUB BB30	DUB PF89.5/92	DUB BSA	Power Spline					
11s	Front	1x12	XX1 Eagle	■	■	■	■					
			X01 Eagle	■	■	■	■					
			X1 Carbon Eagle	■	■	■	■					
			Descendant/Stylo Carbon Eagle	■	■	■	■					
			GX Eagle	■	■	■	■					
			Descendant/Stylo 7k Eagle	■	■	■	■					
			NX Eagle	■	■	■	■					
			Descendant/Stylo 6k Eagle	■	■	■	■					
			NX PS Eagle					■				
			Stylo 6k PS Eagle					■				
			SX Eagle / X1-1000 Eagle	■	■	■	■					
SX PS Eagle					■							
12s	Rear	1x12	Cassette		Rear Derailleur			Shifter				
			Gearing		Model	Model	Max Tooth	Cage Length Options	Model	MMX	MM	IC
								Long				
			12s	10 - 50 Eagle	XG-1299	XX1 Eagle	50	■	XX1 Eagle	■	■	
					XG-1295	X01 Eagle	50	■	X01 Eagle	■	■	
					XG-1275	GX Eagle	50	■	GX Eagle	■	■	
					PG 1230	NX Eagle	50	■	NX MMX Eagle	■	■	
					PG 1210	SX Eagle	50	■	NX Eagle			■
			12s	10 - 52 Eagle	XG-1299	XX1 Eagle	52	■	SX Eagle			■
					XG-1295	X01 Eagle	52	■				
					XG-1275	GX Eagle	52	■				

* Eagle cranksets are compatible with 11 speed SRAM chains when used in a 1x11 system.

** Eagle chains are only compatible with SRAM Eagle 1x12 systems.


1x11 MTB Compatibility

Chain		Crankset													
Model		Model	Bottom Bracket Options								Power Spline				
			DUB PF30	DUB BB30	DUB PF89.5/92	DUB BSA	PF30	BB30	PF30	BB30		PF30	GXP		
11s	PC X1 PC 1170 PC 1130 PC 1110 PC XX1*	1x11	XX1	■	■	■	■	■	■	■	■	■	■		
			X01	■	■	■	■	■	■	■	■	■	■		
			Descendant Carbon	■	■	■	■	■	■	■	■	■	■	■	
			X1 1400	■	■	■	■	■	■	■	■	■	■	■	
			GX 1200	■	■	■	■	■	■	■	■	■	■	■	
			Descendant	■	■	■	■	■	■	■	■	■	■	■	■
			NX	■	■	■	■	■	■	■	■	■	■	■	

Cassette			Rear Derailleur		RD Shifter				
Gearing	Model	Model	Cage Length Options		Model	MMX	MM	IC	
			Long						
11s	10 - 42	XG 1199	1x11	XX1	■	XX1	■	■	
		XG 1195		X01	■	X01	■	■	
		XG 1180		X1	■	X1	■	■	
		XG 1175		GX	■	GX	■	■	
		XG 1150		NX	■	NX			■
11 - 42	PG 1130								


*PC XX1 is only compatible with SRAM 1x11 systems.

1x7 MTB Compatibility



*PC XX1 is only compatible with SRAM 1x11 systems.

2x11 MTB Compatibility

Chain		Crankset 					Front Derailleur							Shifter						
Model		Model	Bottom Bracket Options				Gearing	Model	HC	LC	MC	HDM	MDM	LDM	Model	MMX	MM	IC		
			PF30	BB30	PFGXP	GXP														
11s	PC X1 PC 1170 PC 1130 PC 1110	2x11	GX 1400	■	■	■	■	36/24	GX	■	■	■	■	■	2x11	GX	■	■	■	
			GX 1200	■	■	■	■			■	■	■	■	■			■	■	■	
			GX 1000	■	■	■	■			■	■	■	■	■			■	■	■	■
11s		11s	Cassette		Rear Derailleur															
			Gearing	Model	Model	Cage Length Options														
						Long	Medium	Short												
			10 - 42	XG 1199 XG 1195 XG 1180 XG 1175 XG 1150	2x11	GX	■	■ ³												
			11 - 42	PG 1130																

³ Use only on hardtail bikes.

3x10 / 2x10 / 1x10 MTB Compatibility

Chain		Crankset (↙)							Front Derailleur						FD/RD Shifter								
Model		Gearing	Model	Bottom Bracket Options					Gearing	Model	HC	LC	HDM	MDM	LDM	Model	MMX	MM	IC				
				PF30	BB30	PFGXP	GXP	Howitzer															
10s	PC 1091R PC 1091 PC 1071 PC 1051 PC 1031	3x10	44/33/22	X5	■	■	■	■		3x10	44/33/22	X5	■	■	■		3x10	X5			■		
				S1000	■	■	■	■															
			2x10	42/28 39/26	X5	■	■	■	■			2x10	42/28 39/26	X5	■	■		■			2x10	GX	■
		S2210			■	■	■	■															
		S1400		■	■	■	■		2x10	38/24 36/22	GX		■	■	■	■	■	1x10	X0	■	■		
		X5		■	■	■	■																
		S2210		■	■	■	■																
		GX 1200		■	■	■	■																
		GX 1000		■	■	■	■																
		S1400	■	■	■	■																	
		1x10	X01 DH	■	■	■	■		1x10	11 - 36	XG 1099 XG 1080 PG 1070 PG 1050 PG 1030 PG 1020	↘											
				Descendant DH	■	■	■	■															
				Hussefelt	■																		■
				Ruktion	■																		■

Cassette (↘)		Rear Derailleur		
Gearing	Model	Cage Length Options		
		Long	Medium	Short
11 - 36	↘	■	■	■
		■	■	■
12 - 36	↘	■	■	■
		■	■	■
11 - 32	↘	■	■	■
		■	■	■
		■	■	■
12 - 32	↘	■	■	■
		■	■	■
11 - 28	↘	■	■	■
		■	■	■
12 - 28	↘	■	■	■
		■	■	■
11-26	↘	■	■	■
		■	■	■

These are registered trademarks of SRAM, LLC:

1:1®, Accuwatt®, Avid®, AXS®, Bar®, Blackbox®, BoXXer®, DoubleTap®, Elita®, eTap®, Firecrest®, Firex®, Grip Shift®, GXP®, Hammerschmidt®, Holzfeller®, Hussefelt®, i-Motion®, Judy®, Know Your Powers®, NSW®, Omnium®, Pike®, PowerCal®, PowerLock®, PowerTap®, Qollector®, Quarq®, RacerMate®, Reba®, Rock Shox®, Ruktion®, Service Course®, ShockWiz®, SID®, Single Digit®, Speed Dial®, Speed Weaponry®, Spinscan®, SRAM®, SRAM APEX®, SRAM EAGLE®, SRAM FORCE®, SRAM RED®, SRAM RIVAL®, SRAM VIA®, Stylo®, Torpedo®, Truvativ®, TyreWiz®, Varicrank®, Velotron®, X0®, X01®, X-SYNC®, XX1®, Zed tech®, Zipp®

These are registered logos of SRAM, LLC:



These are trademarks of SRAM, LLC:

10K™, 1X™, 202™, 30™, 35™, 302™, 303™, 404™, 454™, 808™, 858™, 3ZERO MOTO™, ABLC™, AeroGlide™, AeroBalance™, AeroLink™, Airea™, Air Guides™, AKA™, AL-7050-TV™, Automatic Drive™, Automatix™, AxCad™, Axial Clutch™, BB5™, BB7™, BB30™, Bleeding Edge™, Blipbox™, BlipClamp™, BlipGrip™, Blips™, Bluto™, Bottomless Tokens™, Cage Lock™, Carbon Bridge™, Centera™, Charger 2™, Charger™, Charger Race Day™, ClampClics™, Clickbox Technology™, Clics™, Code™, Cognition™, Connectamajig™, Counter Measure™, DD3™, DD3 Pulse™, DebonAir™, Deluxe™, Deluxe Re:Aktiv™, Descendant™, DFour™, DFour91™, Dig Valve™, DirectLink™, Direct Route™, DOT 5.1™, Double Decker™, Double Time™, Dual Flow Adjust™, Dual Position Air™, DUB™, DZero™, E300™, E400™, Eagle™, E-Connect4™, E-matic™, ErgoBlade™, ErgoDynamics™, ESP™, EX1™, Exact Actuation™, Exogram™, Flow Link™, FR-5™, Full Pin™, Gnar Dog™, Guide™, GX™, Hard Chrome™, Hexfin™, HollowPin™, Howitzer™, HRD™, Hybrid Drive™, Hyperfoil™, i-3™, Impress™, Jaws™, Jet™, Kage™, Komfy™, Level™, Lyrik™, MatchMaker™, Maxle™, Maxle 360™, Maxle DH™, Maxle Lite™, Maxle Lite DH™, Maxle Stealth™, Maxle Ultimate™, Micro Gear System™, Mini Block™, Mini Cluster™, Monarch™, Monarch Plus™, Motion Control™, Motion Control DNA™, MRX™, MultiClics™, Noir™, NX™, OCT™, OmniCal™, OneLoc™, Paragon™, PC-1031™, PC-1110™, PC-1170™, PG-1130™, PG-1050™, PG-1170™, Piggyback™, Poploc™, Power Balance™, Power Bulge™, PowerChain™, PowerDomeX™, Powered by SRAM™, PowerGlide™, PowerLink™, Power Pack™, Power Spline™, Predictive Steering™, Pressfit™, Pressfit 30™, Prime™, Qalvin™, R2C™, RAIL™, Rapid Recovery™, Re:Aktiv ThruShaft™, Recon™, Reverb™, Revelation™, Riken™, Rise™, ROAM™, Roller Bearing Clutch™, RS-1™, Sag Gradients™, Sawtooth™, SCT - Smart Coasterbrake Technology, Seeker™, Sektor™, SHIFT™, ShiftGuide™, Shorty™, Showstopper™, SIDLuxe™, Side Swap™, Signal Gear Technology™, SL™, SL-70™, SL-70 Aero™, SL-70 Ergo™, SL-80™, SL-88™, SLC2™, SL SPEED™, SL Sprint™, Smart Connect™, Solo Air™, Solo Spoke™, SpeedBall™, Speed Metal™, SRAM APEX 1™, SRAM Force 1™, SRAM RIVAL 1™, S-series™, Stealth-a-majig™, StealthRing™, Super-9™, Supercork™, Super Deluxe™, Super Deluxe Coil™, SwingLink™, TaperCore™, Timing Port Closure™, Tool-free Reach Adjust™, Top Loading Pads™, Torque Caps™, TRX™, Turnkey™, TwistLoc™, VCLC™, Vivid™, Vivid Air™, Vuka Aero™, Vuka Alumina™, Vuka Bull™, Vuka Clip™, Vuka Fit™, Vuka Shift™, Wide Angle™, WiFLi™, X1™, X5™, X7™, X9™, X-Actuation™, XC™, X-Dome™, XD™, XD Driver Body™, XDR™, XG-1150™, XG-1175™, XG-1180™, XG-1190™, X-Glide™, X-GlideR™, X-Horizon™, XLoc Sprint™, XX™, Yari™, Zero Loss™



Specifications and colors subject to change without prior notice.

© 2020 SRAM, LLC



ASIAN HEADQUARTERS

SRAM Taiwan
No. 1598-8 Chung Shan Road
Shen Kang Hsiang, Taichung City
Taiwan R.O.C.

WORLD HEADQUARTERS

SRAM LLC
1000 W. Fulton Market, 4th Floor
Chicago, Illinois 60607
U.S.A.

EUROPEAN HEADQUARTERS

SRAM Europe
Paasbosweg 14-16
3862ZS Nijkerk
The Netherlands